



Selecting Shrubs for the Landscape

David Hillock

Assistant Extension Specialist, Consumer Horticulture

Kimberly Rebek

Assistant Extension Specialist

Mike Schnelle

Extension Ornamental Floriculture Specialist

Shrubs serve an important role in landscaping. They can be used as hedge borders, focal points, along the foundation of a home to "tie" it to the ground by softening strong architectural lines, and to fill large areas. Shrubs screen and separate private areas, create garden rooms, and absorb noise. Many are evergreen, providing a backbone for the winter landscape.

Unlike annual flowers, or even some herbaceous perennials, shrubs are usually planted with permanence in mind. As such, it is important to carefully select plants to ensure long-term success. It is important to consider the plant's adaptability to the proposed planting site, as well as its mature size. For best results, choose a plant that is best adapted to the climatic zone or region and will fit in the space designated for planting, even after it reaches full size.

When selecting shrubs for the landscape, it is also important to consider each plant's ornamental characteristics. Consider plant height, width, and shape; foliage color and texture, including fall color; bark attributes; and flowering and fruiting habits, to obtain the right shrub for your landscape design.

Ornamental Characteristics of Shrubs

Many shrubs are planted for their showy floral displays. You can develop a long season of bloom by planting various types of shrubs. The time any shrub remains in bloom varies from a few days to a few months; however, the time of year a shrub blooms remains the same year after year. Use a variety of shrubs that bloom in sequence to develop a planting with a long blooming period. Most landscapes have lots of flowers in spring, with few in summer or fall. Prolong the ornamental season through careful shrub selection. Choose shrubs known to bloom at alternate times of year, or choose plants that provide other ornamental traits during hot weather and into the fall such as colorful bark, fall foliage, or fruit.

A number of ornamental shrubs produce attractive fruit following flowering. Some have black or dark purple fruit that often go unnoticed, unless sited for contrast. Brightly colored fruit make a better show than dull colors. The time fruit is ornamental should be a consideration. Fruit persisting into winter provides color in the winter landscape. A shrub may produce beautiful fruit, but too few to be noticed, so their ornamental value is low. Within limits, the larger the fruit the more ornamental it may be. Conversely, large fruit can be a problem to clean up.

Oklahoma Cooperative Extension Fact Sheets

are also available on our website at:

<http://osufacts.okstate.edu>



Shrubs can be used as living fences to delineate space and create garden rooms.

For shrubs such as holly and yew, male and female flowers are produced on separate plants and fruit is only produced on the female plants. A plant with this flowering and fruiting habit is called dioecious. When female, fruiting plants are desired, a male plant must also be grown to ensure pollination. Usually one male shrub pollinates several female plants.

Foliage color, other than green, can occur in fall, in spring, or from spring to fall. The foliage of shrubs with showy spring color often fades to green or off green by summer. Colored foliage or variegated shrubs can be less vigorous than the natural form with green foliage. Shrubs with colored or variegated foliage may need different light intensity. Sunlight is often necessary for good fall color development or summer foliage coloration. For example, barberry cultivars with purple leaves in the sun may have nearly green leaves in the shade.

Bark is another ornamental feature. The bark may be highly colored or have interesting texture. Shrubs with evergreen foliage, brightly colored bark, or striking bark textures and patterns can provide winter color and interest.

Attracting wildlife may be a reason for selecting a particular shrub. Some shrubs produce fruits eaten by birds and others provide shelter; while some yield flowers that attract butterflies.

Some shrubs have safety concerns that should be considered. Don't plant shrubs with poisonous berries near public walkways. Keep in mind that plants with poisonous parts or spiny foliage or stems should be avoided in high traffic areas. On the other hand, spiny shrubs/hedges may provide "traffic control" and security for an area.



Shrubs pruned in a formal fashion can be used to create fun and creative garden designs.

Select shrubs hardy enough to survive the winter and durable enough to endure the Oklahoma summer heat.

Avoid shrubs with serious pest problems. The large selection of available shrubs makes it unnecessary to use those notorious for annual infestations of insects or diseases. Pests attack most shrubs during their lives, but most can be easily controlled or ignored. Shrubs to avoid are those with serious pest problems that render the plants aesthetically unacceptable.

Shrubs for a Purpose

Tolerates or Prefers Dry Locations

Most or all of the shrubs listed below will still require vigilant irrigation for at least the first growing season. However, upon establishment, plants below are known to tolerate or even prefer dry sites. Tolerance to dry or xeric conditions will widely differ amongst these species.

- Abelia, Glossy (*Abelia x grandiflora*)
- Althea or Rose of Sharon, (*Hibiscus syriacus*)
- Aralia, Fiveleaf (*Eleutherococcus sieboldianus*)
- Aucuba, Japanese (*Aucuba japonica*)
- Barberry, Japanese (*Berberis thunbergii*)
- Barberry, Mentor (*Berberis x mentorensis*)
- Beautyberry (*Callicarpa americana*)
- Bluebeard or Blue-mist shrub (*Caryopteris x clandonensis*)
- Blueberry, Highbush (*Vaccinium corymbosum*)
- Bush-Honeysuckle, Southern (*Diervilla sessilifolia*)

- Chokeberry, Black or Red (*Aronia melanocarpa* or *A. arbutifolia*)
- Cinquefoil, Bush (*Potentilla fruticosa*)
- Coralberry, Indiancurrant, or Buckbrush (*Symphoricarpos orbiculatus*)
- Coralberry, Chenault (*Symphoricarpos x chenaultii*)
- Cotoneaster, Rock (*Cotoneaster apiculatus*)
- Cotoneaster, Spreading (*Cotoneaster divaricatus*)
- Cotoneaster, Willowleaf (*Cotoneaster salicifolius*)
- Devil's-walkingstick (*Aralia spinosa*)
- Dogwood, Gray (*Cornus racemosa*)
- Dogwood, Roughleaf (*Cornus asperifolia* var. *drummondii*)
- Firethorn (*Pyracantha coccinea*)
- Holly, Chinese (*Ilex cornuta*)
- Holly, Yaupon (*Ilex vomitoria*)
- Honeysuckle, Morrow (*Lonicera morrowii*)
- Honeysuckle, Tatarian (*Lonicera tatarica*)
- Honeysuckle, Winter (*Lonicera fragrantissima*)
- Hydrangea, smooth (*Hydrangea arborescens*)
- Indian Hawthorn (*Rhaphiolepis spp.*)
- Juniper (*Juniperus spp.*)
- Nandina or Heavenly Bamboo (*Nandina domestica*)
- Ninebark, (*Physocarpus opulifolius*)
- Paradise Ponciana or Bird of Paradise (*Caesalpinia gilliesii*)
- Pearl Bush (*Exochorda racemosa*)
- Photinia (*Photinia spp.*)
- Plum, American (*Prunus americana*)
- Plum, Sandhill (*Prunus angustifolia*)
- Privet (*Ligustrum spp.*)
- Quince, flowering (*Chaenomeles speciosa*)
- Rose, rugosa (*Rosa rugosa*)
- Saint Johnswort (*Hypericum spp.*)
- Serviceberry, Shadblow (*Amelanchier canadensis*)
- Siberian Peashrub (*Caragana arborescens*)
- Spirea, Anthony Waterer (*Spiraea x bumalda* 'Anthony Waterer')
- Spirea, Vanhoutte (*Spiraea x vanhouttei*)
- Sumac, Fragrant (*Rhus aromatica*)
- Sumac, Smooth (*Rhus glabra*)
- Witchhazel (*Hamamelis spp.*)
- Yucca (*Yucca spp.*)

Tolerates or Prefers Wet Locations

Plants listed below will only tolerate flooding for short periods of time (normally only a few days). Very few will actually survive long-term submersion of their root systems.

- Beautyberry, Purple (*Callicarpa dichotoma*)
- Buttonbush (*Cephalanthus occidentalis*)
- Chokeberry (*Aronia spp.*)
- Cinquefoil, Bush (*Potentilla fruticosa*)
- Devilwood, False holly or Osmanthus (*Osmanthus heterophyllus*)
- Dogwood, Redosier (*Cornus sericea*)
- Dogwood, Roughleaf (*Cornus asperifolia*)
- Dogwood, Silky (*Cornus amomum*)
- Elder, American or Elderberry (*Sambucus canadensis*)
- Holly, Deciduous or Possumhaw (*Ilex decidua*)
- Holly, Inkberry (*Ilex glabra*)
- Summersweet (*Clethra alnifolia*)
- Sweetshrub, California (*Calycanthus occidentalis*)
- Sweetspire, Virginia (*Itea virginica*)
- Viburnum, European or Snowball (*Viburnum opulus*)
- Waxmyrtle, Southern (*Morella cerifera*)



Shrubs with variegated foliage, like this five-leaf aralia, really stand out in shady areas.

Tolerates or Prefers Shade

The following plants will perform well under shady conditions.

- Abelia, Glossy (*Abelia x grandiflora*)
- Aralia, Fiveleaf (*Eleutherococcus sieboldianus*)
- Aucuba, Japanese (*Aucuba japonica*)
- Azalea (*Rhododendron* spp.)
- Barberry, Japanese (*Berberis thunbergii*)
- Barberry, Mentor (*Berberis x mentorensis*)
- Boxwood, Common (*Buxus sempervirens*)
- Buttonbush (*Cephalanthus occidentalis*)
- Camellia (*Camellia* spp.)
- Coralberry or Snowberry (*Symphoricarpos* spp.)
- Currant, Golden (*Ribes sanguineum 'Aureum'*)
- Dogwood, Redosier (*Cornus sericea*)
- Euonymus (*Euonymus* spp.)
- Fothergilla (*Fothergilla* spp.)
- Holly (*Ilex* spp.)
- Honeysuckle, Winter (*Lonicera fragrantissima*)
- Hydrangea (*Hydrangea* spp.)
- Jasmine, Winter (*Jasminum nudiflorum*)
- Jetbead, Black (*Rhodotypos scandens*)
- Kerria, Japanese (*Kerria japonica*)
- Mockorange (*Philadelphus* spp.)
- Mahonia, creeping (*Mahonia repens*)
- Mahonia, Leatherleaf (*Mahonia bealei*)
- Nandina, Heavenly bamboo (*Nandina domestica*)
- Pine, Mugo (*Pinus mugo* var. *mugo*)
- Privet (*Ligustrum* spp.)
- Spirea, Vanhoutte (*Spiraea x vanhouttei*)
- Sweetspire, Virginia (*Itea virginica*)
- Weigela, Old fashioned (*Weigela florida*)
- Yew, (Taxus spp.)
- Viburnum (*Viburnum* spp.)

Tolerates or Prefers Alkaline Soils

Many of the plants listed below will thrive and remain green despite growing in high pH soils. However, when pH values exceed pH 8.0 or higher, it may be difficult to grow some of the species below.



Aucuba or Gold Dust plant is excellent for heavily shaded areas.

Shrubs with variegated leaves.



Common Boxwood



Abelia 'Confetti'

- Althea or Rose of Sharon (*Hibiscus syriacus*)
- Barberry (*Berberis* spp.)
- Beautyberry, Purple (*Callicarpa dichotoma*)
- Beautybush (*Kolkwitzia amabilis*)
- Bluebeard or Blue-mist Shrub (*Caryopteris x clandonensis*)
- Boxwood (*Buxus* spp.)
- Buddleia or Butterfly Bush (*Buddleia davidii*)
- Bush cinquefoil (*Potentilla fruticosa*)
- Carolina Allspice or Sweetshrub (*Calycanthus floridus*)

Chokeberry (*Aronia* spp.)
 Cotoneaster (*Cotoneaster* spp.)
 Crapemyrtle (*Lagerstroemia indica*)
 Dogwood, Redosier or Red Twig (*Cornus sericea*)
 Euonymus (*Euonymus* spp.)
 Firethorn (*Pyracantha* spp.)
 Forsythia (*Forsythia x intermedia*)
 Honeysuckle (*Lonicera* spp.)
 Juniper (*Juniperus* spp.)
 Lilac (*Syringa* spp.)
 Mahonia (*Mahonia* spp.)
 Mockorange (*Philadelphus* spp.)
 Nandina (*Nandina domestica*)
 Ninebark (*Physocarpus* spp.)
 Pine (*Pinus* spp.)
 Privet (*Ligustrum* spp.)
 Snowberry (*Symphoricarpos albus*)
 Spirea (*Spiraea* spp.)
 Viburnum (*Viburnum* spp.)
 Yew (*Taxus* spp.)
 Yucca (*Yucca* spp.)

Tolerates Salty Soils

Plants below have varying degrees of tolerance to saline soils. While some may survive salty soils, the homeowner should still expect the possibility of burned or scorched leaves with overall stunting of the plant a possibility.

Bayberry, northern (*Myrica pensylvanica*)
 Blueberry, highbush (*Vaccinium corymbosum*)
 Bush-Honeysuckle, southern (*Diervilla sessilifolia*)
 Chokeberry, black (*Aronia melanocarpa*)
 Chokeberry, red (*Aronia arbutifolia*)
 Cinquefoil, bush (*Potentilla fruticosa*)
 Cotoneaster, rock (*Cotoneaster apiculatus*)
 Cotoneaster, spreading (*Cotoneaster divaricatus*)
 Cotoneaster, willowleaf (*Cotoneaster salicifolius*)
 Holly, inkberry (*Ilex glabra*)
 Holly, Japanese (*Ilex crenata*)
 Hydrangea, bigleaf (*Hydrangea macrophylla*)
 Hydrangea, oakleaf (*Hydrangea quercifolia*)
 Hydrangea, panicle (*Hydrangea paniculata*)
 Hydrangea, smooth (*Hydrangea arborescens*)
 Juniper, shore (*Juniperus conferta*)
 Lilac, littleleaf (*Syringa microphylla*)
 Lilac, Manchurian (*Syringa patula* 'Miss Kim')
 Lilac, Meyer (*Syringa meyeri* 'Palibin')
 Privet, Amur (*Ligustrum amurensis*)

Interesting Stems or Bark



Harry Lauder's Walkingstick



Diablo Ninebark

Rose, rugosa (*Rosa rugosa*)
 Viburnum, Arrowwood (*Viburnum dentatum*)
 Viburnum, blackhaw (*Viburnum prunifolium*)
 Viburnum, siebold (*Viburnum sieboldii*)
 Yew, Anglojap (*Taxus x media* cultivars)
 Yew, Japanese (*Taxus cuspidata*)

Winter Interest

Many plants have ornamental merit during the cold months. There are a number of other attributes to seek out in addition to flowers; many plants have characteristics that set them above other plants, such as the colorful bark of redosier dogwood, the colorful fruit of deciduous holly that persist into the winter, and the unusual branching habit of Harry Lauder's walkingstick.

Showy Bark/Branches or Unusual Form:

Beautybush (*Kolkwitzia amabilis*)
 Dogwood, redosier (*Cornus sericea*)
 Dogwood, yellowtwig (*Cornus sericea* 'Flaviramea')
 Euonymus, Winged or Burning bush (*Euonymus alatus*)
 Harry Lauder's walkingstick (*Corylus avellana* 'Contorta')
 Honeysuckle (*Lonicera* spp.)
 Kerria, Japanese (*Kerria japonica*)

Interesting or Showy Fruit:

Barberry, Japanese (*Berberis thunbergii*)
 Beautyberry (*Callicarpa japonica*)
 Buckthorn, Carolina (*Rhamnus caroliniana*)
 Buffaloberry, Silver (*Shepherdia argentea*)
 Buttonbush (*Cephalanthus occidentalis*)
 Chokeberry, Black (*Aronia melanocarpa*)
 Chokeberry, Red (*Aronia arbutifolia*)
 Coralberry, Indiancurrant or Buckbrush (*Symphoricarpos orbiculatus*)
 Cotoneaster (*Cotoneaster* spp.)
 Dogwood (*Cornus* spp.)
 Elder or Elderberry (*Sambucus* spp.)
 Euonymus (*Euonymus* spp.)
 Firethorn (*Pyracantha coccinea*)
 Hardy orange (*Poncirus trifoliata*)
 Holly (*Ilex* spp. and hybrids)

Honeysuckle, Morrow (*Lonicera morrowii*)
 Honeysuckle, Tatarian (*Lonicera tatarica*)
 Jetbead, Black (*Rhodotypos scandens*)
 Juniper (*Juniperus* spp.)
 Mahonia (*Mahonia* spp.)
 Nandina or Heavenly bamboo (*Nandina domestica*)
 Privet (*Ligustrum* spp.)
 Sumac (*Rhus* spp.)
 Viburnum (*Viburnum* spp.)

Flowers During Winter and Early Spring

Camellia (*Camellia* spp.)
 Forsythia (*Forsythia* spp.)
 Jasmine, winter (*Jasminum nudiflorum*)
 Honeysuckle, winter (*Lonicera fragrantissima*)
 Quince, Flowering (*Chaenomeles* spp.)
 Spirea (certain *Spiraea* spp.)
 Witchhazel (*Hamamelis* spp.)
 Winterhazel (*Corylopsis* spp.)

Showy Flowers

We expect herbaceous annual and perennial ornamental plants to bloom in the landscape, but it is an added bonus when shrubs bloom. The following shrubs provide colorful, showy flowers.

Abelia, glossy (*Abelia x grandiflora*)

Althea or Rose of Sharon (*Hibiscus syriacus*)
 Azalea (*Rhododendron* spp.)
 Barberry (*Berberis* spp.)
 Beautyberry (*Callicarpa japonica*)
 Beautybush (*Kolkwitzia amabilis*)
 Bluebeard or Blue-mist Shrub (*Caryopteris x clandonensis*)
 Bush Cinquefoil (*Potentilla fruticosa*)
 Buttonbush (*Cephaelanthus occidentalis*)
 Butterfly bush (*Buddleia* spp.)
 Camellia (*Camellia* spp.)
 Carolina Allspice or Sweetshrub (*Calycanthus floridus*)
 Cherrylaurel, Carolina (*Prunus caroliniana*)
 Cherrylaurel, Otto Luyken (*Prunus laurocerasus* 'Otto Luyken')
 Cherrylaurel, Common (*Prunus laurocerasus*)
 Cotoneaster (*Cotoneaster* spp.)
 Crapemyrtle (*Lagerstroemia indica*)
 Flowering quince (*Chaenomeles speciosa*)
 Forsythia (*Forsythia* spp.)
 Honeysuckle (*Lonicera* spp.)
 Hydrangea (*Hydrangea* spp.)
 Indian Hawthorn (*Raphiolepis* spp.)
 Lilac (*Syringa* spp.)
 Mahonia (*Mahonia* spp.)
 Mockorange, sweet (*Philadelphus* spp.)
 Nandina or Heavenly bamboo (*Nandina domestica*)
 Pearl Bush (*Exochorda* spp.)
 Photinia (*Photinia* spp.)

Flowering Shrubs



Ballerina Rose



Woadwaxen



Bird of Paradise



Burgundy Chilopsis



Summersweet



Purple Smoketree

Flowering Shrubs



Fothergilla



St. Johnswort




Japanese Kerria




Leatherleaf Mahonia



Oakleaf Hydrangea




Azaleas and Japanese Kerria



Pink Velour Crapemyrtle



Chastetree



Winter Jasmine

Pyracantha or Firethorn (*Pyracantha coccinea*)
 Rose (*Rosa* spp.)
 Sand plum (*Prunus angustifolia*)
 Siberian peashrub (*Caragana arborescens*)
 Spirea (*Spiraea* spp.)
 St. Johnswort (*Hypericum* spp.)
 Sweetspire (*Itea virginica*)
 Viburnums (*Viburnum* spp.)
 Vitex, Chaste tree (*Vitex agnus-castus*)
 Weigela (*Weigela florida*)
 Winter jasmine (*Jasminum nudiflorum*)
 Witchhazel (*Hamamelis vernalis*)

Fall Color

Many factors influence the quality and intensity of fall color for any given year. Some of the plants listed below have specific species or cultivars that are known for reliable and markedly vivid fall color. When fall color is the priority trait desired, it is advisable to purchase the plant in the fall when such colors can be viewed and critiqued by the consumer.

Barberry, Japanese (*Berberis thunbergii*)
 Beautyberry (*Callicarpa* spp.)
 Blueberry (*Vaccinium* spp.)
 Carolina Allspice or Sweetshrub (*Calycanthus floridus*)
 Chokeberry (*Aronia* spp.)
 Cotoneaster (*Cotoneaster* spp.)
 Crapemyrtle (*Lagerstroemia* spp.)

Dogwood (*Cornus* spp.)
 Euonymus, Winged or Burning Bush (*Euonymus alata*)
 Forsythia (*Forsythia* spp.)
 Fothergilla (*Fothergilla* spp.)
 Hydrangea, Oakleaf (*Hydrangea quercifolia*)
 Mahonia, creeping and Oregon grapeholly (*Mahonia repens* and *M. aquifolium*)
 Nandina, heavenly bamboo (*Nandina domestica*)
 Ninebark (*Physocarpus* spp.)
 Parrotia, Persian (*Parrotia persica*)
 Serviceberry (*Amelanchier* spp.)
 Smoketree (*Cotinus coggygria*)
 Spirea (*Spiraea* spp.)
 Sumac (*Rhus* spp.)
 Sweetspire, Virginia (*Itea virginica*)
 Viburnum (*Viburnum* spp.)
 Witchhazel (*Hamamelis* spp.)

Garden and Patio or Large Containers

Just a few of the many plants that are candidates for containers are listed below; theoretically, most shrubs could be containerized. However, some plants do not perform well or outgrow containers after many years. If permanent plantings are your expectation, check with garden center personnel for the best plant or plants to use for long-term success.

Abelia, glossy (*Abelia x grandiflora*)
 Barberry (*Berberis* spp.)

Shrubs with colorful foliage



Golden Chamaecyparis



Purple smoketree



Loropetalum



'Magic Carpet' Spirea



'Diablo' Ninebark

Shrubs with attractive fruit



Burning Bush



Deciduous Holly



Black Jetbead



Firethorn



Beautyberry



Leatherleaf Mahonia

Boxwood (*Buxus* spp.)

Holly, Evergreen and deciduous (*Ilex* spp.)

Juniper (*Juniperus* spp.)

Mahonia, Creeping (*Mahonia repens*)

Nandina, dwarf selections (*Nandina domestica*)

Yew (*Taxus* spp.)

Small Shrubs for Small Spaces

Many species have cultivars that have been selected for their short height or narrow width at maturity.

Arborvitae, Dwarf (*Thuja* spp.)

Crapemyrtle, Miniature (*Lagerstroemia* spp.)

Dwarf Alberta Spruce (*Picea glauca* 'Conica')

Euonymus, Dwarf Box leaf (*Euonymus japonicus* 'Microphyllus')

Indian Hawthorn, Ballerina (*Rhaphiolepis* spp.)

Junipers (*Juniperus* spp.)

Mahonia, Creeping (*Mahonia repens*)

Nandina, Dwarf (*Nandina domestica*)

Pine, Mugo (Dwarf cultivars) (*Pinus mugo*)

Pomegranate, Dwarf (*Punica granatum*)

Roses, Miniature (*Rosa* spp.)

Waxmyrtle, Dwarf (*Myrica* spp.)

Attract Wildlife

Many gardeners not only enjoy plants in the landscape, but also the wildlife that may be attracted to it. The following shrubs may attract wildlife by the fruit they produce or by providing physical protection.

Abelia (*Abelia* spp.)

Azalea (*Rhododendron* spp.)

Barberry (*Berberis* spp.)

Bayberry (*Myrica pensylvanica*)

Beautyberry (*Callicarpa* spp.)

Blackberry (*Rubus* spp.)

Blueberry (*Vaccinium* spp.)

Buckthorn, Carolina (*Rhamnus carolinianus*)

Butterfly Bush (*Buddleia* spp.)

Cherrylaurel, Carolina (*Prunus caroliniana*)

Corralberry, Indiancurrant or Buckbrush (*Symporicarpos orbiculatus*)

Currant, Clove (*Ribes odoratum*)

Dogwood, Roughleaf (*Cornus drummondii*)

Eastern Wahoo (*Euonymus atropurpureus*)

Elder, American or Elderberry (*Sambucus canadensis*)

Firethorn (*Pyracantha coccinea*)

Grapeholly (*Mahonia* spp.)

Holly (*Ilex* spp.)

Juniper (*Juniperus* spp.)

Magnolia, Sweet Bay (*Magnolia virginiana*)

New Jersey Tea (*Ceanothus americanus*)
 Plum, Sand (*Prunus angustifolia*)
 Privet (*Ligustrum* spp.)
 Quince, Flowering (*Chaenomeles* spp.)
 Rose (*Rosa* spp.)
 Spicebush (*Lindera benzoin*)
 Strawberry bush (*Euonymus* spp.)
 Sumac (*Rhus* spp.)
 Viburnum (*Viburnum* spp.)
 Weigela (*Weigela* spp.)
 Yucca (*Yucca* spp.)

Native Species

Native, in this context, is defined as any plant native to somewhere in the lower 48 contiguous states, not just Oklahoma.

Bayberry, northern (*Myrica pensylvanica*)
 Beautyberry (*Callicarpa americana*)
 Bladdernut, American (*Staphylea trifolia*)
 Blueberry, highbush (*Vaccinium corymbosum*)
 Bush-Honeysuckle, Southern (*Diervilla sessilifolia*)

Buttonbush (*Cephalanthus occidentalis*)
 Carolina Allspice or Sweetshrub (*Calycanthus floridus*)
 Chokeberries, Red and black (*Aronia arbutifolia* and *A. melanocarpa*, respectively)
 Currant, Clove (*Ribes odoratum*)
 Devil's walkingstick (*Aralia spinosa*)
 Fothergilla, Dwarf (*Fothergilla gardenii*)
 Fothergilla, large (*Fothergilla major*)
 Grapeholly (*Mahonia* spp.)
 Holly, American (*Ilex opaca*)
 Holly, common winterberry (*Ilex verticillata*)
 Holly, Deciduous or possumhaw (*Ilex decidua*)
 Holly, inkberry (*Ilex glabra*)
 Hydrangea, smooth (*Hydrangea arborescens*)
 Hydrangea, Oakleaf (*Hydrangea quercifolia*)
 Juniper (*Juniperus* spp.)
 Ninebark, purple, Diablo™ (*Physocarpus opulifolius* 'Monlo')
 Palmetto (*Sabal minor*)
 Rhododendron and azalea (*Rhododendron* spp. & cultivars)
 Summersweet or sweet pepperbush (*Clethra alnifolia*)
 Sweetspire, Virginia (*Itea virginica*)
 Viburnum, American cranberrybush (*Viburnum trilobum*)
 Viburnum, arrowwood (*Viburnum dentatum*)

Evergreen Shrubs



Aucuba – Gold Dust Plant



Green Mountain Boxwood



Pencil Yaupon Holly



Falsecypress



Yew

Evergreen Shrubs



Viburnum



William Penn Barberry



Southern Waxmyrtle

Viburnum, blackhaw (*Viburnum prunifolium*)
Viburnum, Southern blackhaw (*Viburnum rufidulum*)
Yellowroot (*Xanthorhiza simplicissima*)

Make Good Hedges

Many shrubs are suitable for use as a hedge. However, some work better than others depending on if they are trained into a clipped, formal hedge or pruned more informally to maintain the natural form and shape of the plant. Plants with smaller leaves, as opposed to wide, large leaves, work best for formal, clipped hedges.

Shrubs for formal, clipped hedge:

Abelia (*Abelia* spp.)
Barberry, Wintergreen (*Berberis julianae*)
Boxwood (*Buxus* spp.)
Devilwood, False holly or Osmanthus (*Osmanthus heterophyllus*)
Holly (*Ilex* spp.)
Yews (*Taxus* spp.)

Shrubs for natural hedges:

Abelia (*Abelia* spp.)
Barberry (*Berberis* spp.)
Boxwood (*Buxus* spp.)
Cherry laurel (*Prunus* spp.)
Cotoneaster (*Cotoneaster* spp.)
Crappemyrtle (*Lagerstroemia* spp.)
Firethorn (*Pyracantha* spp.)
Forsythia (*Forsythia* cultivars)
Holly (*Ilex* spp.)
Honeysuckle (*Lonicera* spp.)
Juniper (*Juniperus* spp.)
Photinia (*Photinia* spp.)
Privet (*Ligustrum* spp.)
Rose (*Rosa* spp.)
Viburnum (*Viburnum* spp.)

Evergreens for Background and Screens:

Arborvitae (*Thuja* spp.)
Azaleas (*Rhododendron* hybrids)
Boxwood (*Buxus* spp.)

Cherry laurel (*Prunus* spp.)
Devilwood, False holly or Osmanthus (*Osmanthus heterophyllus*)
Holly (*Ilex* spp.)
Juniper, Chinese (*Juniperus chinensis* cultivars)
Privet (*Ligustrum* spp.)
Rhododendron (*Rhododendron* spp.)
Viburnum (*Viburnum* spp.)
Waxmyrtle (*Morella cerifera*)
Yews (*Taxus* spp.)

Make Good Ground Covers

Shrubs that tend to spread or creep along the ground, or don't grow more than 30 inches tall and when planted close together cover the ground, may be used as ground covers. Plants with attractive foliage and dense growth habit make the best ground covers.

Abelia, dwarf (*Abelia x grandiflora* 'Prostrata,' 'Edward Goucher' and others)
Azaleas, low and spreading (Azalea hybrids)
Barberry, Crimson Pygmy (*Berberis thunbergii atropurpurea* 'Crimson Pygmy')
Cotoneaster, rockspray (*Cotoneaster horizontalis*)
Cotoneaster, willowleaf (*Cotoneaster salicifolius* 'Repens')
Holly, dwarf yaupon (*Ilex vomitoria* 'Schelling's Dwarf' and other cultivars)
Holly, Japanese (*Ilex crenata* 'Stokes' and other cultivars)
Juniper, Chinese (*Juniperus chinensis* cultivars)
Junipers, creeping (*Juniperus horizontalis* 'Blue Rug' and other cultivars)
Juniper, shore (*Juniperus conferta* cultivars)
Leucothoe, drooping (*Leucothoe fontanesiana*)
Nandinas, Dwarf (*Nandina domestica* 'Harbor Dwarf' and other cultivars)
St. Johnswort, shrubby (*Hypericum patulum*)
Summersweet, 'Hummingbird' (*Clethra alnifolia* 'Hummingbird')
Yellowroot (*Xanthorhiza simplicissima*)
Yew, anglojap (*Taxus x media*)

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, Title IX of the Education Amendments of 1972, Americans with Disabilities Act of 1990, and other federal laws and regulations, does not discriminate on the basis of race, color, national origin, gender, age, religion, disability, or status as a veteran in any of its policies, practices, or procedures. This includes but is not limited to admissions, employment, financial aid, and educational services.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Robert E. Whitson, Director of Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is printed and issued by Oklahoma State University as authorized by the Vice President, Dean, and Director of the Division of Agricultural Sciences and Natural Resources and has been prepared and distributed at a cost of \$3.75 per copy. 0109 GH

Table 1. Deciduous Shrubs (some grow naturally as small trees or can be trained as a standard)*

Common Name – Botanical Name	Deciduous Shrubs	Species Characteristics	
Height ft.	Spread ft.	Region	Comments
Aitheas or Rose of Sharon (<i>Hibiscus syriacus</i>)	8-12	6-10	A
Aralia, Fiveleaf (<i>Eleutherococcus sieboldianus</i>)	8-10	8-10	A
Barberry, Japanese (<i>Berberis thunbergii</i>)	3-6	4-7	A
Barberry, Mentor (<i>B. x mentorensis</i>)	5	5-7	A
Barberry, Red leaf (<i>B. thunbergii atropurpurea</i>)	3-6	4-7	A
Bayberry (<i>Myrica pensylvanica</i>)	5-12	5-12	NE, SE
Beautyberry, Purple (<i>Callicarpa dichotoma</i>)	3-4	4-5	A
Beautybush (<i>Kolkwitzia amabilis</i>)	6-10	5-8	A
Bladdernut, American (<i>Staphylea trifolia</i>)	10-15	10-15	NE, SE
Bluebeard or Blue-mist Shrub (<i>Caryopteris x clandestinensis</i>)	3-5	3-5	A
Blueberry, Highbush (<i>Vaccinium corymbosum</i>)	4-12	5-12	NE, SE
Buckthorn, Carolina or Indian Cherry (<i>Rhamnus caroliniana</i>)	10-15	10-15	A
Buddleia, Butterfly Bush (<i>Buddleia davidii</i>)	5-10	4-5	A
Buffaloberry, Silver (Shepherdia argentea)	6-10	6-10	A
Bush Cinquefoil (<i>Potentilla fruticosa</i>)	1-4	2-4	A
Bush-honeysuckle, Southern (<i>Diervilla sessilifolia</i>)	3-5	3-5	A
Buttonbush (<i>Cephaelanthus occidentalis</i>)	3-6		A
Carolina Allspice or Sweetshrub (<i>Calycanthus floridus</i>) (also California Sweetshrub, <i>Calycanthus occidentalis</i>)	6-9	6-12	A
Chokeberry, Black (<i>Aronia melanocarpa</i>)	3-5	3-5	A
Chokeberry, Purple-fruited (<i>A. x prunifolia</i>)	8	4-6	A
Chokeberry, Red (<i>A. arbutifolia</i>)	6-10	3-5	A
Corralberry, Chenault (<i>Symporicarpos x chenaultii</i>)	2-6	3-12	A
Corralberry, Indiancurrant or Buckbrush (<i>S. orbiculatus</i>)	2-5	4-8	A
Cotoneaster, Cranberry (<i>Cotoneaster apiculatus</i>)	3	3-6	A
Cotoneaster, Rock (<i>C. horizontalis</i>)	2-3	5-8	A
Cotoneaster, Spreading (<i>C. divaricatus</i>)	5-6	6-8	A
Crapemyrtle (<i>Lagerstroemia indica</i>)	6-20		A
Currant, Clove, Missouri, or Golden (<i>Ribes odoratum</i>)	6-8	4-5	A
Desert-willow (<i>Chilopogon linearis</i>)	15-25	10-15	NW, SW
Devils-walkingstick (<i>Aralia spinosa</i>)	10-20	10-20	A
Dogwood, Gray (Cornus racemosa)	10-15	10-15	NE, SE

Table 1. Deciduous Shrubs (continued)*

Common Name – Botanical Name		Species Characteristics				Comments
Deciduous Shrubs		Height ft.	Spread ft.	Region		
Dogwood, Redosier or Red Twig (<i>C. sericea</i>)	7-9 15	10 15	A	NE, SE		Hot, humid conditions may lead to decline. Red twigs showy in winter.
Dogwood, Roughleaf (<i>C. asperifolia</i> and <i>C. a. var. drummondii</i>)	6-10	6-10	NE, SE			Good for naturalizing in moist and wet soils. Spring flowers and late summer fruit good for wildlife.
Dogwood, Silky (<i>C. amomum</i>)						Good for naturalizing in moist and wet soils. Yellowish white spring flowers and bluish, late summer fruit good for wildlife.
Eastern Wahoo (<i>Euonymus atropurpureus</i>)	12-24 5-12	8-10 5-12	A			Attractive fall color and fruits. Can be trained as a tree.
Elder, American or Elderberry (<i>Sambucus canadensis</i>)						White summer flowers. Purple-black fruit; attracts birds. Suckers profusely. Cultivars available.
Euonymus, American or Strawberry-bush (<i>E. americanus</i>)	4-6	3-4	A			Can be infected by scale. Red fall color and showy fruits.
Euonymus, Winged or Burning Bush (<i>E. alatus</i>)	10-20	10-20	A	NE, SE		Does not contract scale. Dwarf cultivars available, five to 10 feet high and wide.
Fig, Common (<i>Ficus carica</i>)	8-10	5-7	NE, SE			Fruit is edible. May freeze back from harsh winters.
Forsythia (<i>Forsythia x intermedia</i>)	8-10	10-12	A			Very early yellow flowers.
Fothergilla (<i>Fothergilla</i> spp.)	6-10	5-8	NE, SE			Prefers acid soils. Interesting white flowers appear before leaves in early spring.
Hardy Orange (<i>Poncirus trifoliata</i>)	8-20	6-15	NE, SE			Provide shade for optimal growth; leaf scorch may occur if planted in full sun.
Harry Lauder's Walkingstick or Contorted Filbert (<i>Corylus avellana 'Contorta'</i>)	8-10	8-10	A			Prefers well-drained, acid soils. Bright green stems with spines up to 2 inches. A yellow, very sour fruit is produced in fall. A novelty plant; can be used as a thick hedge.
Holly, Common Winterberry (<i>Ilex verticillata</i>)	6-10	6-10	NE, SE			Interesting stems that curl and twist. Leaves also twisted.
Holly, Deciduous or Possumhaw (<i>I. decidua</i>)	7-15	7-15	A			Adaptable to wet conditions. Prefers moist, acid soils. Full sun or part shade. Colorful fruits. Many cultivars and hybrids available.
Honeysuckle, Morrow (<i>Lonicera morrowii</i>)	6-8	6-10	A			Very durable plant. Best ornamental attribute is the showy, colorful fruits that persist into the winter months. Several cultivars are available including weeping forms and those offering fruit colors from yellow, orange to red.
Honeysuckle, Tatarian (<i>L. tatarica</i>)	10-12	10	A			Red fruits, shrub type habit.
Honeysuckle, Winter (<i>L. fragrantissima</i>)	6-10	6-10	A			Considered weedy. Many cultivars.
Hydrangea (<i>Hydrangea</i> spp.)	3-6	3-6	A			Exceptional fragrance. Blooms in Feb.-March. Semi-evergreen.
Hydrangea, Oakleaf (<i>Hydrangea quercifolia</i>)	4-6	4-6	A			Showy flowers, pH sensitive.
Jasmine, Winter (<i>Jasminum nudiflorum</i>)	3-4	4-7	A			Best in shade, moist soil. Showy flowers, good fall color, many cultivars available.
Jetbead, Black (<i>Rhodotypos scandens</i>)	3-6	4-9	A			Oklahoma Proven selection.
Kerria, Japanese (<i>Kerria japonica</i>)	3-6	6-9	A			Flowers December - March. Bright yellow flowers. Young stems bright green.
Lilac, French or Common (<i>Syringa vulgaris</i> and other related species.)	8-15	6-12	A			Durable and adaptable to differing soil conditions; pH adaptable. Tolerant of shade or sun. White flower on tips of branches appear late spring or early summer followed by shiny black fruits. Good for heavy shade, shrub borders or masses.
Mockorange, Sweet (<i>Philadelphus coronarius</i> and related spp.)	10-12	10-12	A			Full shade, bright yellow flowers in late spring or early summer. Green stems are showy in winter. Oklahoma Proven Selection.
New Jersey Tea (<i>Ceanothus americanus</i>)	3-4	3-5	A			Seek out local expertise when choosing lilacs. Besides finding mildew-resistant types, inquire about fragrance and other ornamental characteristics.
Ninebark, dwarf (<i>Physocarpus opulifolius</i>)	5-7 10	5-6 6-8	NE, SE, SW			Many types available for white, fragrant spring flowers.
Paradise Poinciana or Bird of Paradise (<i>Caesalpinia gilliesii</i>)						Prefers light, well-drained soils; tolerates dryness, avoid excessive irrigation.
						Low, compact shrub with white flowers mid summer.
						Diablo™ and other purple leaf selections are available.
						May freeze back depending upon variety and planting location, but often root hardy.
						Grow for tropical looking flowers.

Table 1. Deciduous Shrubs (continued)*

Common Name – Botanical Name Deciduous Shrubs		Species Characteristics				Comments
		Height ft.	Spread ft.	Region		
Parrotia, Persian (<i>Parrotia persica</i>)	20-30	15-30	A			Large shrub or small tree. Prefers well-drained, slightly acid soil. Is quite tolerant of heat, drought, wind and cold once established, but appreciates late shade. Interesting deep maroon flowers appear in late winter. New growth reddish in color changing to a lustrous green for summer; can be a brilliant yellow or orange in fall. Bark exfoliates leaving patches of green, cream, and gray adding year round interest.
Pearl Bush, Common (<i>Exochorda racemosa</i> ; <i>E. X macrantha</i>)	10-15	10-15	NE, SE			Native species that grows into a shrub or small tree. Often forms large colonies from suckering. Early white spring flowers. Fruit yellow to red, with thick skin and juicy sour edible pulp. Eaten fresh and in jellies and preserves. Good for erosion control and attracting wildlife.
Plum, Sand or Chickasaw (<i>P. angustifolia</i>)	6	6	A			Sand plum develops mostly into a thicket-forming shrub though it can become a small tree. Spreads by suckers. Early white spring flowers. Fruit shiny red though sometimes yellow; edible. Grows in sandy soils. Thickets serve as erosion control and provide food and cover for wildlife.
Pomegranate (<i>Punica granatum</i>)	12-20	12-20	NE, SE			Glossy foliage; orange flowers; edible fruit; may freeze back.
Privet, Amur (<i>Ligustrum amurense</i>)	12-15	8-10	A			Very adaptable shrub to most growing conditions except very wet soils. Takes well to pruning and is often used as a hedge.
Privet, Common or Hedge plant (<i>Ligustrum vulgare</i>)	12-15	12-15	A			Good for "instant" hedge.
Privet, Golden or Golden Vicary (<i>L. x vicaryi</i>)	10-12	6-8	A			Golden yellow foliage color.
Quince, Flowering (<i>Chaenomeles speciosa</i>)	6-10	6-10	A			White, pink, or red flowers.
Rose (<i>Rosa</i> spp.)	4-6	4-6	A			Seek grower advice for disease resistant cultivars.
Saint John's-wort (<i>Hypericum patulum</i>)	3-4	3-4	A			Yellow summer flowers.
Serviceberry (<i>Amelanchier</i> species)	6-25	6-25	NE, SE			Prefer moist, acid soils. Year round interest, white to pink spring flowers; edible fruits that may turn red to black to purplish-black; good fall color. Several cultivars available.
Siberian Peashrub (<i>Caragana arborescens</i>)	15-20	12-18	A			Grows well in tough sites; yellow flowers.
Smoketree or Smokebush (<i>Cotinus coggygria</i>)	10-15	10-15	A			Unique flowers panicles appear in summer. Tiny hairs on panicles clusters turn a smoky pink to purplish giving the appearance of puffs of smoke coming from the shrub. Purple leaf forms available; fall color can be spectacular on cultivars. Adaptable to wide range of soil and pH conditions.
Snowberry (<i>Symphoricarpos albus</i>)	3-6	3-6	A			White fruits. <i>S. orbiculatus</i> has pink fruits.
Spicebush (<i>Lindera benzoin</i>)	6-12	6-12	NE, SE			Does best in well-drained moist soils; sun to part shade. Yellow to golden yellow fall color. Bright scarlet fruits are attractive on female plants after leaves have fallen.
Spirea, Anthony Waterer (<i>Spiraea x bumalda</i> 'Anthony Waterer')	3-4	4-5	A			Pink summer flowers.
Spirea, Magic Carpet (<i>S. japonica</i> 'Magic Carpet')	2-3	2-3	A			Orange-red to reddish purple young new shoots, yellow-gold at maturity, pinkish flowers.
Spirea, Vanhoutte (<i>S. x vanhouttei</i>)	6-8	10-12	A			Common shrub with arching, fountain-like habit with spectacular spring display of white flowers. Very tough.
Sumac, Cutleaf (<i>Rhus glabra</i> 'Lacinata')	10-15	10-15	A			Leaflets deeply cut and lobed; produces bright scarlet fruit.
Sumac, fragrant (<i>R. aromatica</i>)	2-6	6-10				Low spreading shrub. Glossy green summer foliage, turning orange to red to purplish-red in fall. Very drought tolerant. Gro-low' has yellow female flowers that produce hairy red fruits; good groundcover, foundation plant, attracts wildlife, and can be used to control erosion on slopes.

Table 1. Deciduous Shrubs (continued)*

Common Name – Botanical Name		Species Characteristics				Comments
Deciduous Shrubs		Height ft.	Spread ft.	Region		
Sumac, Smooth (<i>R. glabra</i>)		10-15	10-15	A		Excellent fall color; crimson fruits on female plants. Suckers form colonies.
Sumac, Staghorn (<i>R. typhina</i>)		15-25	15-25	A		Tough plant found growing in difficult sites.
Summersweet or Sweet Pepperbush (<i>Clethra alnifolia</i>)		4-8	4-6	NE, SE		Excellent fall color; crimson fruits on female plants. Suckers form colonies. Tough plant found growing in difficult sites.
Sweetspire, Virginia (<i>Itea virginica</i>)		3-5	3-5	NE, SE		Easy to grow native shrub. Prefers acid soils; grows in wet places, sun or partial shade. Excellent summer flowers are fragrant and attract bees and butterflies. Many cultivars available. Good yellow fall color.
Viburnum, American Cranberrybush (<i>Viburnum trilobum</i>)		3-12	4-12	A		White flower, showy fall color.
Viburnum, Arrowwood (<i>Viburnum dentatum</i>)		6-8	6-15	A		Native species that prefers moist, well-drained soils; will decline under moisture stress. White spring flowers and bright red fruits that are edible and sometimes used in preserves. Leaves medium to dark green in summer, turning yellow to red-purple in fall; new growth has reddish tinge. Excellent foliage, flower and fruiting characteristics; makes good screen and informal hedge; neat compact forms available.
Viburnum, Blackhaw (<i>V. prunifolium</i>)		12-15	8-12	A		Showy blue fruits. Several cultivars available.
Viburnum, Burkwood (<i>V. x burkwoodii</i>)		8-10	6-8	A		Native species adaptable to many soils, does well in dry soils; sun or shade. Creamy white spring flowers; fruits pinkish, rose, maturing to bluish black, edible. Good summer leaf color changing to red to purplish red in fall.
Viburnum, Doublefile or Japanese (<i>V. plicatum</i> var. <i>tomentosum</i>)		8-10	9-12	NE, SE		Fragrant flowers.
Viburnum, European or Snowball (<i>V. opulus</i>)		8-12	10-15	A		White flowers, red fruits.
Viburnum, Siebold (V. <i>sieboldii</i>)		15-20	10-15	A		Creamy white spring flowers. Red fruits, attract birds. Dark shiny green summer foliage. Prefers moist, well-drained soils, pH adaptable. Grows in sun or part shade; may scorch in dry soils.
Viburnum, Southern Blackhaw or Rusty Blackhaw (<i>V. rufidulum</i>)		10-20	10-20	A		Native species with creamy white spring flowers and dark blue fruit. Leaves turn burgundy in fall. Very drought tolerant.
Vitex, or Chaste Tree (<i>Vitex agnus-castus</i>)		8-10	8-10	A		Lavender, pink, or white flowers, attractive foliage. Attracts butterflies. May freeze, but will regenerate from roots.
Weigela (<i>Weigela florida</i>)		6-9	9-12	A		Many cultivars.
Willow, Goat or Pussy (<i>Salix caprea</i>)		15-25	12-15	A		Fast growth, showy winter or early spring flowers.
Woodwaxen (<i>Genista</i> species)		2-3	2-3	A		Good low growing plant for poor, dry soils. Beautiful yellow early summer flowers. Bright green summer foliage.
Winterhazel (<i>Corylopsis</i> spp.)		4-20	4-15	NE, SE		Prefers moist, acid, well-drained soil. Shelter from late freezes to protect early, pale yellow, fragrant flowers that appear before leaves in spring.
Witchhazel (<i>Hamamelis vernalis</i>)		6-10	4-5	SW, NE, SE		Native species excellent as a ground cover. Bright green summer foliage, may develop yellow or golden orange fall color. Spreads freely in moist areas, less aggressive in dry soils; will do well in heavy soils; avoid high pH soils. Full sun or partial shade. A yellow dye can be made from the sap.
Yellowroot (<i>Xanthorhiza simplicissima</i>)		2-3		NE, SE		

* Many varieties and cultivars of shrubs exist that are not listed. For the sake of brevity, only one or two samples are provided for any given group of plants. For example, there are numerous variations or cultivars of barberry, viburnum and others selected for foliage or flower color, size, etc.

Table 2. Evergreen Shrubs

Common Name – Botanical Name	Species Characteristics	Height ft.	Spread ft.	Region	Comments
Coniferous Shrubs (Narrowleaf)					
Arborvitae (<i>Thuya</i> species)	1-30	1-15	A		Large shrubs to small trees; many cultivars available within each species, dwarf to compact forms available. Use for foundation plantings, screens, windbreaks, accent plants, or hedges. Prefer fertile, moist, well-drained soils though most are quite tough once established. Best in full sun.
Falsecypress (Chamaecyparis species)	3+	3+	NE, SE		Loam soil. Part sun. Shelter from hot wind and afternoon sun. Many are large plants, even trees. Select cultivars that best fit location, such as dwarf forms. Used more as a specimen plant in protected areas of Oklahoma landscapes.
Juniper, Chinese (<i>Juniperus chinensis</i>)	1-25+	3-10	A		Size varies significantly depending on cultivar and there are many. Spreading shrub to upright shrub or tree.
Juniper, Creeping (<i>J. horizontalis</i>)	1-2	4-8	A		Size is variable, but definitely low-growing, spreading type.
Juniper, Jap Garden (<i>J. procumbens</i>)	3/4-2	10-15	A		Attractive in planters.
Juniper, Rocky Mountain (<i>J. scopulorum</i>)	30-40	3-15	NW, SW		Similar to native eastern red cedar.
Juniper, Savin (<i>J. sabina</i>)	4-6	5-10	A		Several cultivars available.
Juniper, Shore (<i>J. conferta</i>)	1-2	6-9	A		May have some shade tolerance.
Pine, Mugo (<i>Pinus mugo</i>)	15-20	25-30	A		Low growing forms available from three to six feet tall.
Spruce, Dwarf Alberta (<i>Picea glauca</i> 'Conica')	10-12	6-8	A		Very slow growing; cone-shaped and dense. Is not highly recommended, but is very common in the trade. Heat, humidity and wind can lead to stress; spider mites are a common problem.
Yew, Anglojap (<i>Taxus x media</i>)	2-20	5-15	A		Cultivar Runyan has performed well in Oklahoma.
Yew, Japanese (<i>T. cuspidata</i>)	5-15	5-15	A		Size varies with cultivar. The cultivar Thayerae has performed well in Oklahoma.
Broadleaf Evergreen Shrubs					
Abelia, Glossy (<i>Abelia x grandiflora</i>)	3-6	3-6	NE, SE, SW		May develop severe chlorosis in high pH soils.
Aucuba (<i>Aucuba japonica</i>)	6-10	5-8	SE (NE)		Excellent for shady areas. Not drought tolerant. Tolerates moist clay soils. Variegated forms available.
Azalea, (<i>Rhododendron</i> spp.)	Varies	Varies	NE, SE		Keep mulched, shelter from sun and wind. Not drought tolerant. High maintenance plant. Flowers and twigs poisonous if eaten. Vast selections available; confer with garden center personnel.
Barberry, William Penn (<i>Berberis x gladwyensis</i> 'William Penn')	4	4	A		Showy foliage. Semi-evergreen.
Barberry, Wintergreen or Julianne (<i>B. julianae</i>)	6-8	6-8	A		Very spiny, makes good barrier or hedge. Lustrous dark green leaves, yellow spring flowers, and bluish black fruits that persist into winter.
Boxwood, Common or English (<i>Buxus sempervirens</i>)	15-20	15-20	A		Do not cultivate or over fertilize. Winter sunscald if not shaded. Many cultivars available, most grow smaller than species.
Boxwood, Little Leaf (<i>B. microphylla</i>)	3-4	3-4	NE, SE		Slow growth, showy foliage, good for formal plantings.
Camellia, Sasanqua (<i>Camellia sasanqua</i>)	10-18		SW, NE, SE		Showy fall flowers. Some camellias yield winter flowers. Dark glossy green leaves.
Cherrylaurel or English Laurel (<i>Prunus laurocerasus</i>)	20-30	15-25	NE, SE		Needs well-drained soil. Fragrant flowers. Toxic foliage.
Cherrylaurel, Carolina (<i>Prunus caroliniana</i>)	1-1 ½	6+	A		Evergreen, toxic foliage.
Cotoneaster, Bearberry (<i>Cotoneaster dammeri</i>)	1-15	8-12	A		Semi-evergreen, attractive fruits.
Cotoneaster, Willowleaf (<i>C. salicifolius</i>)					Low spreading cultivars are available. Lustrous dark green foliage, turns red to purple in winter. Colorful red fruits.
Elaeagnus, Silverberry (<i>Elaeagnus pungens</i>)	10-15	10-15	A		Fruits seldom seen, but may attract birds. Semi-evergreen foliage used in hedges.
Euonymus, Japanese (<i>Euonymus japonicus</i> several cultivars)	5-10	5-10	A		Glossy green leaf. Numerous cultivars available. Highly susceptible to scale insect.
Euonymus, Spreading (<i>E. kiautschovicus</i>)	8-10	8-10	A		Fruit not showy, but interestingly attractive. 'Manhattan' cultivar is a superior species.
Euonymus, Winter Creeper (<i>E. fortunei</i>)	1/3-1	3-6+	A		Many cultivars available. Leafspot and scale possible.
Holly, American (<i>Ilex opaca</i>)	15-30	12-20	NE, SE		Well-drained, acid soils; sun to part shade. Leaves have spines. Medium drought tolerance, mulch. Most are large, tree like; much variation by cultivars in form and fruiting. Must have male and female plants for fruit.
Holly, Chinese or Horned (<i>I. cornuta</i>)	8-10	10+	NE, SE		Spiny glossy leaf. Shelter from wind. Many cultivars available. Showy fruit on female plants, male is usually required for fruiting.
Holly, The Blue or Meserve Hollies (<i>I. x meserveae</i>)	8-20	4-10	A		Should grow in northwest Oklahoma with shelter. Deep green leaves with blue gloss. Showy fruit on female plants.

Table 2. Evergreen Shrubs. (continued)

Common Name – Botanical/Name		Species Characteristics	Height ft.	Spread ft.	Region	Comments
Broadleaf Shrubs						
Holly, Fosters Hybrid (<i>I. x attenuata</i>)	20-30 6-8	8-10	NE, SE NE, SE			Showy fruit on female plants. Many cultivars available. Showy fruit on female plants. Prefers acid, moist soil. Will grow in swampy areas.
Holly, Inkberry (semi-evergreen) (<i>I. glabra</i>)	5-10	5-10	NE, SE			Leaves without spines, dark green. Shelter from sun and wind. Best adapted to northeast Oklahoma. Many cultivars available.
Holly, Japanese (<i>I. crenata</i>)	4-20	6-8	A			Tough holly, but likes much and light amounts of fertilizer. Leaf without spines, dark green on top with gray back stems. Dwarf yaupon makes good substitute for boxwood. Can be sheared. More tolerant of wind and sun than other hollies.
Holly, Yaupon (<i>I. vomitoria</i>)	6-10 4-6	6-10 4-6	A SE, SW			Very fragrant flowers that bloom in late winter. Semi-evergreen. Marginally hardy. Flowers vary from late winter to early summer. Medium drought tolerance. Best for southern portions of Oklahoma.
Honeysuckle, Winter (<i>Lonicera fragrantissima</i>)	4-8	4-5 3-6	NE, SE NE, SE			Challenging to grow in Oklahoma; attractive flowers. Graceful with spreading, arching branches. White fragrant flowers; bright green, bronze to purple leaves – maturing to dark green, turning bronze to purple in fall. Must have moist, well-drained, acid soils; does not tolerate drought, drying winds prune to ground after flowering to rejuvenate. Fungal leaf spots can be a problem.
Indian Hawthorn (<i>Raphiolepis spp.</i>)	4-10 4-6	6-10 4-6	A SE, SW			Evergreen to semi-evergreen multi-stemmed shrub. Tolerates wet, swampy soils and shade. White creamy flowers in late spring are lemon-scented. Dark-red fruit with bright red seeds can be attractive. Native to eastern Oklahoma.
Laurel, Mountain (<i>Kalmia latifolia</i>)	4-8	4-5 3-6	NE, SE NE, SE			Spreading, evergreen groundcover. Yellow spring flowers, grape-like fruit. Glossy, spiny, dark green leaf, new leaves red purple. Summer grape-like fruit. Best in part shade. Suckers and will form colonies.
Leucothoe, drooping (<i>Leucothoe fontanesiana</i>)	10-20	10-20	NE, SE			Large, leathery, stiff, blue green leaf. Flowers are very fragrant. Grape-like fruit. Medium drought tolerance.
Magnolia, Sweetbay (<i>Magnolia virginiana</i>)	3/4-1 3/4 3-6	3-4 3-5	A A			Lacy leaf. Small red fruit in fall. Tough plant, drought tolerant. Red fall leaf color. Many cultivars available; vary greatly in size. Semi-evergreen. Flowers form in fall, are often hidden, but very fragrant. Shelter, keep mulched, watered and fertilized. Holly look-alike.
Mahonia, Creeping (<i>Mahonia repens</i>)	4-8	4-5	A			Native to southeast Oklahoma. Provides tropical flare to landscape.
Mahonia or Oregon Grapeholly (<i>M. aquifolium</i>)	8-10	6-8	SE			Lacy leaf. Small red fruit in fall. Tough plant, drought tolerant. Red fall leaf color. Many cultivars available; vary greatly in size. Semi-evergreen. Pretty red new growth, may contract Entomosporium leaf spot. Prune in spring for density.
Mahonia, Leatherleaf (<i>M. bealei</i>)	6-10	6-8	NE, SE			Avoid wet or hot sites. Nitrogen fertilizer beneficial. Drought tolerant.
Nandina or Heavenly Bamboo (<i>Nandina domestica</i>)	20-25	14-16	A A			Showy white flowers in spring. Moist, acid, well-drained soil.
Osmanthus, Devilwood or False Holly (<i>Osmanthus heterophyllus</i>)	10-15	5-8	SE			Should probably be limited to extreme southeast corner of Oklahoma. Smaller cultivars available. Fragrant creamy white flowers in spring. Relatively tough plant, not too finicky at site. Sun or heavy shade. Freeze injury possible.
Palmetto, (Sabal minor)	5-8	5	SE, NE			Adaptable, withstands heavy pruning. White spring flower, dull black fruits.
Photinia, Chinese (<i>Photinia serrulata</i>)	3-4+ 10-12	6-8 15-24	NE, SE SE			Outstanding, bright orange-red fruit persisting into winter. Some disease and insect problems. Does well in dry soil. Semi-evergreen.
Photinia, Redtip (<i>P. x fraseri</i>)	10-15	5-8	A			Beautiful spring flowers.
Pieris, Japanese (<i>Pieris japonica</i>)	6-12 6-18	6-8 6-18	NE, SE A			These and many other viburnums are valued for spring flowers, often fragrant, pest-free deciduous or evergreen foliage, brilliant fall color, and showy fruits.
Pittosporum, Japanese (<i>Pittosporum tobira</i>)	10-15	10-15	NE, SE, SW, NW			Showy fruits. Shelter from sun, reflected heat and wind. Not drought tolerant.
Pivot, Japanese (<i>Ligustrum japonicum</i>)	10-15	10-15	NE, SE, SW, NW			Small clusters of gray fruit. Beautiful, wispy, shrub to small tree. Makes excellent pruned screen or limbed up to expose handsome gray, almost white bark. Spring growth develops rich bayberry candle odor. May defoliate in temperatures below zero degrees.
Pyracantha, Scarlet Firethorn (<i>Pyracantha coccinea</i>)	Varies	Varies	NE, SE NE, SE, NW, SW NE, SE			Cold hardy. Grows about anywhere except very wet sites. Produces yellowish-white pendulous flowers on three- to six-foot-tall stalk in summer.
Rhododendron (<i>Rhododendron</i> hybrids)	10	11				Dark pink to red flowers arising on a four- to five-foot stalk.
Viburnum, Alleghany (<i>Viburnum x rhytidophyllum</i> 'Alleghany')	10-15	10-15	NE, SE, SW, NW			
Viburnum, Leatherleaf (<i>Viburnum rhytidophyllum</i>)	10-15	10-15	NE, SE, SW, NW			
Waxmyrtle, Southern (<i>Morella cerifera</i>)	3-4	3-4	A			
Yucca, Adam's Needle (<i>Yucca filamentosa</i>)	3-4	3-4	A			
Yucca, Red (<i>Hesperaloe parviflora</i>)	3-4	3-4	A			

* Many varieties and cultivars of shrubs exist that are not listed. However, for the sake of brevity, only one or two samples are provided for any given group of plants. For example, there are numerous variations or cultivars of barberry selected for foliage color, size, etc.